	Hits	Search Text	DBs
		375/350.ccls. and (lpf and hpf and	US-PGPUB;
1	0	adapt\$5 and (dc adj offset) and	USPAT; EPO; JPO;
•		power\$5 and ratio\$5 and "a/d")	DERWENT;
		and @ad<"20001002"	IBM_TDB
	2	wo-9935754-\$.did.	US-PGPUB;
2			USPAT; EPO; JPO;
_			DERWENT;
			IBM_TDB
		QD-2328353-5.QIQ.	US-PGPUB;
3	2		USPAT; EPO; JPO;
			DERWENT;
-			IBM_TDB
		375/350.ccls. and ((filter\$5 or	US-PGPUB;
4	10	slicer\$5) and adapt\$5 and (dc adj	1 ' '
		offset) and power\$5 and ratio\$5	DERWENT;
		and "a/d") and @ad<"20001002"	IBM_TDB
		("4873702" "4887050"	
	11	"5241702" "5319679"	
5		"5442655" "5724653"	USPAT
		"5748681" "5754595"	
		"6311051" "6327315"	·
6	5	"6337855").PN. "6370205".URPN.	LICDAT
•	-		USPAT
	172	((filter\$5 or slicer\$5) and adapt\$5	· •
7		and (dc adj offset) and power\$5	USPAT; EPO; JPO;
		and decimat\$5) and @ad<"20001002"	DERWENT;
8	198	((filter\$5 or slicer\$5) and adapt\$5	IBM_TDB
			US-PGPUB;
			USPAT; EPO; JPO; DERWENT;
			IBM_TDB
ļ		(((filter\$5 or slicer\$5) adj	US-PGPUB;
	11	adapt\$5) and (dc adj offset) and	USPAT; EPO; JPO;
9		decimat\$5) and I and Q and	DERWENT;
		@ad<"20001002"	IBM_TDB

	Hits	Search Text	DBs
10	0	375/350.ccls. and ((hpf or (high\$5 adj pass\$5 adj (filter\$5 or	US-PGPUB;
		slicer\$5))) and adapt\$5 and (dc adj offset) and power\$5 and	USPAT; EPO; JPO; DERWENT;
		ratio\$5 and "a/d") and @ad<"20001002"	IBM_TDB
11	379	((hpf or (high\$5 adj pass\$5 adj (filter\$5 or slicer\$5))) and adapt\$5 and (dc adj offset)) and @ad<"20001002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	8	375/350.ccls. and ((hpf or (high\$5 adj pass\$5 adj (filter\$5 or slicer\$5))) and adapt\$5 and (dc adj offset)) and @ad<"20001002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	112	((hpf or (high\$5 adj pass\$5 adj (filter\$5 or slicer\$5))) and adapt\$5 and (dc adj offset) and power\$5 and ratio\$5 and "a/d") and @ad<"20001002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	144	((hpf or (high\$5 adj pass\$5 adj (filter\$5 or slicer\$5))) and adapt\$5 and (dc adj offset) and power\$5 and ratio\$5 and bandwidth) and @ad<"20001002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	0	(((hpf or (high\$5 adj pass\$5 adj (filter\$5 or slicer\$5))) adj adapt\$5) and (dc adj offset) and (power\$5 near5 ratio\$5) and bandwidth) and @ad<"20001002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	0	(((hpf or (high\$5 adj pass\$5 adj (filter\$5 or slicer\$5))) adj adapt\$5) and (dc adj offset) and (power\$5 and ratio\$5) and bandwidth) and @ad<"20001002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
17	0	(((hpf or (high\$5 adj pass\$5 adj (filter\$5 or slicer\$5))) adj (adapt\$5 or adjust\$5)) and (dc adj offset) and (power\$5 and ratio\$5) and bandwidth) and @ad<"20001002"	, , ,
18	10	(((hpf or (high\$5 adj pass\$5 adj (filter\$5 or slicer\$5))) adj (adapt\$5 or adjust\$5)) and (power\$5 and ratio\$5) and bandwidth) and @ad<"20001002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	4	((filter\$5 or slicer\$5) and adapt\$5 and (dc adj offset) and decimat\$5) and homodyne and @ad<"20001002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	239849	(filter\$5 or slicer\$5) and (control\$5 or adjust\$5) and power\$5 and @ad<"20001002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	319	375/350.ccls. and (filter\$5 or slicer\$5) and (control\$5 or adjust\$5) and power\$5 and @ad<"20001002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	51	(((tilter\$5 or slicer\$5) and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	63	un?slic\$5 or non\$slic\$5)) with power\$5) and ((filter\$5 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
24	0	(((filter\$5 or slicer\$5) and (un?filter\$5 or non\$filter\$5 or un?slic\$5 or non\$slic\$5)) with power\$5) and ((filter\$5 or slicer\$5) with bi?pass with power\$5) and @ad<"20001002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	0	(((filter\$5 or slicer\$5) and (un?filter\$5 or non\$filter\$5 or un?slic\$5 or non\$slic\$5)) with power\$5) and ((filter\$5 or slicer\$5) with bi\$pass\$5 with power\$5) and @ad<"20001002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	1	((filter\$5 or slicer\$5) with bi?pass with power\$5) and @ad<"20001002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	1	((filter\$5 or slicer\$5) with bi\$pass\$5 with power\$5) and @ad<"20001002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	804	(((filter\$5 or slicer\$5) adj (control\$5 or adjust\$5 or adapt\$5)) with power\$5) and @ad<"20001002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	22	(((filter\$5 or slicer\$5) adj (control\$5 or adjust\$5 or adapt\$5)) with power\$5 with ratio\$5) and @ad<"20001002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	2	wo-9935754-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
31		(375/232,375/319, 375/350,	
		708/300, 708/313, 708/322).ccls.	US-PGPUB;
	0	and (lpf and hpf and adapt\$5 and	USPAT; EPO; JPO;
31		(dc adj offset) and power\$5 and	DERWENT;
		ratio\$5 and "a/d") and	IBM_TDB
		@ad<"20001002"	
32	0	(375/232,375/319, 375/350,	
		708/300, 708/313, 708/322).ccls.	US-PGPUB;
		and (lpf and hpf and adapt\$5 and	USPAT; EPO; JPO;
		(dc adj offset) and power\$5 and	DERWENT;
		ratio\$5 and "a/d") and	IBM_TDB
		@ad<"20001002"	